



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/658,902	09/10/2003	Sundararajan Sriram	TI-28564.1	3595
23494	7590	11/16/2004	EXAMINER	
TEXAS INSTRUMENTS INCORPORATED P O BOX 655474, M/S 3999 DALLAS, TX 75265			RAMOS FELICIANO, ELISEO	
			ART UNIT	PAPER NUMBER
			2687	

DATE MAILED: 11/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	10/658,902	SRIRAM, SUNDARARAJAN
	Examiner	Art Unit
	Eliseo Ramos-Feliciano	2687

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 10 September 2003.

2a) This action is **FINAL**. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-5 and 13-17 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1-5 and 13-17 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on 10 September 2003 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received

Attachment(s)

1) Notice of References Cited (PTO-892)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 12/15/2003.

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
5) Notice of Informal Patent Application (PTO-152)
6) Other: _____

DETAILED ACTION***Information Disclosure Statement***

1. The references listed in the Information Disclosure Statement filed on December 15, 2003 have been considered by the examiner (see attached PTO-1449 form).

Specification

2. The disclosure is objected to because of the following informalities: page 2, line 1 recites "90/217,759", rather it appears to mean --09/217,759--. Updated status of such application needs to be provided, for example: PATENTED and Patent Number.

Appropriate correction is required.

3. The disclosure is objected to because of the following informalities: preliminary amendment filed September 10, 2003 on page 1 under amendment to the specification calls out a US Patent Application information that needs to be updated, i.e., Patent Number and issue date.

Appropriate correction is required.

Double Patenting

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Issue I: U.S. Patent No. 6,665,277

5. **Claims 1-5 and 13-17** are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over the claims (applied below) of U.S. Patent No. 6,665,277 (simply “6,665,277” hereinbelow). Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following.

Regarding **claim 1**, claim 1 of U.S. Patent No. 6,665,277 discloses a method, comprising the steps of:

- receiving a frame of data having a predetermined number of time slots (column 6, lines 29-31);
- receiving a plurality of data symbols in each respective time slot (column 6, lines 33-34); and
- receiving a primary, a secondary and a tertiary synchronization code in each said predetermined number of time slots (column 6, lines 35-37).

In addition, claim 1 of 6,665,277 is more specific than claim 1 of present application. However, omission of element and its function in combination is obvious expedient if remaining elements perform same functions as before. *In re KARLSON (CCPA) 136 USPQ 184 (1963)*.

Regarding **claims 2-5**, claim 1 of 6,665,277 discloses everything claimed as applied above. In addition, claims 3-6 of 6,665,277, respectively, disclose every single feature further claimed (see column 6, line 64 to column 7, line 8).

Regarding **claim 13**, claim 8 of U.S. Patent No. 6,665,277 discloses a method, comprising the steps of:

- transmitting a frame of data having a predetermined number of time slots (col. 7, lines 23-24);
- transmitting a plurality of data symbols in each respective time slot (col. 7, lines 26-27); and

- transmitting a primary, a secondary and a tertiary synchronization code in each said predetermined number of time slots (col. 7, lines 28-30).

In addition, claim 8 of 6,665,277 is more specific than claim 13 of present application. However, omission of element and its function in combination is obvious expedient if remaining elements perform same functions as before. *In re KARLSON (CCPA) 136 USPQ 184 (1963)*.

Regarding **claims 14-17**, claim 8 of 6,665,277 discloses everything claimed as applied above. However, it fails to specify the further steps required by claims 14-17 of present application.

Claim 9 of 6,665,277 teaches an analogous method to the one of claim 8 of 6,665,277. Claims 10-13 of 6,665,277, respectively, disclose every single feature further claimed by claims 14-17 of present application (see column 8, lines 16-27).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify claim 8 of 6,665,277 with the teachings of claims 10-13 of 6,665,277, respectively, to include the further steps required by claims 14-17 of present application because they are suggested by the same set of claims of U.S. Patent No. 6,665,277.

Issue II: copending Application No. 10/606,816

6. **Claims 1-5 and 13-17** are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over the claims of copending Application No. 10/606,816 (simply “10/606,816” hereinbelow). Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following.

Regarding **claim 1**, claim 1 of copending Application No. 10/606,816 discloses a method, comprising the steps of:

- receiving a frame of data having a predetermined number of time slots;
- receiving a plurality of data symbols in each respective time slot; and
- receiving a primary, a secondary and a tertiary synchronization code in each said predetermined number of time slots.

In addition, claim 1 of 10/606,816 is more specific than claim 1 of present application.

However, omission of element and its function in combination is obvious expedient if remaining elements perform same functions as before. *In re KARLSON (CCPA) 136 USPQ 184 (1963)*.

Regarding **claims 2-5**, claim 1 of 10/606,816 discloses everything claimed as applied above. In addition, claims 2-5 of 10/606,816, respectively, disclose every single feature further claimed.

Regarding **claim 13**, claim 13 of copending Application No. 10/606,816 discloses a method, comprising the steps of:

- transmitting a frame of data having a predetermined number of time slots;
- transmitting a plurality of data symbols in each respective time slot; and
- transmitting a primary, a secondary and a tertiary synchronization code in each said predetermined number of time slots.

In addition, claim 13 of 10/606,816 is more specific than claim 13 of present application. However, omission of element and its function in combination is obvious expedient if remaining elements perform same functions as before. *In re KARLSON (CCPA) 136 USPQ 184 (1963)*.

Regarding **claims 14-17**, claim 13 of 10/606,816 discloses everything claimed as applied above. In addition, claims 14-17 of 10/606,816, respectively, disclose every single feature further claimed.

7. This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

9. **Claims 1-4 and 13-16** are rejected under 35 U.S.C. 102(e) as being anticipated by Nyström et al. (US Patent Number 6,185,244).

Regarding **claim 1**, Nyström et al. discloses a method including the steps of:

receiving a frame (Figure 16) of data having a predetermined number of time slots (Slot 0 to Slot 15 – Figure 16);

receiving a plurality of data symbols (column 12, lines 14-15; column 2, line 3) in each respective time slot; and

receiving a primary (STI), a secondary (LCI) and a tertiary (FTI) synchronization code in each said predetermined number of time slots (Figure 18).

For clarity, to further facilitate understanding of the present rejection, should be noted that the primary (STI), a secondary (LCI) and a tertiary (FTI) synchronization codes are included

in Nyström et al.'s PSC and SSC (as depicted in Figure 18), which in turn are included in each time slot (column 12, line 10-12). The PSC and SSC are separate of other chips (data symbols as claimed – column 2, line 3) also included in each time slot (column 12, lines 14-15). The same frame that is transmitted (column 7, lines 13-20) is also received by a receiver (column 7, lines 21-27). Therefore, Nyström et al. discloses both receiving and corresponding transmitting steps.

Regarding **claims 2 and 3**, Nyström et al. discloses everything claimed as applied above (see *claim 1*). In addition, Nyström et al. discloses that the secondary (LCI) and the tertiary (FTI) synchronization codes identify a subset of codes (valid sequences); the secondary (LCI) and tertiary (FTI) synchronization codes are formed from a predetermined order (binary) of synchronization code elements (bits), the predetermined order corresponding to the subset of codes (valid sequences). See column 12, lines 28-51.

For clarity, to further facilitate understanding of the present rejection, the secondary (LCI) and a tertiary (FTI) synchronization codes are contained in the SSC. I.e., the SSC includes the combination of “the secondary and the tertiary synchronization codes” which in turn perform the same functions as claimed.

Regarding **claim 4**, Nyström et al. discloses everything claimed as applied above (see *claim 1*). In addition, Nyström et al. discloses that the secondary (LCI) and tertiary (FTI) synchronization codes are formed from a predetermined order (binary) of common synchronization code elements (bits). See column 12, lines 28-51.

For clarity, to further facilitate understanding of the present rejection, the secondary (LCI) and a tertiary (FTI) synchronization codes are contained in the SSC. I.e., the SSC includes the combination of “the secondary and the tertiary synchronization codes” which in turn perform

the same functions as claimed. In addition, binary order by definition (inherently) includes two types of code elements (bits) which are common; therefore, “common synchronization code elements” is met by Nyström et al. as claimed.

Regarding **claim 13**, Nyström et al. discloses a method including the steps of:
transmitting a frame (Figure 16) of data having a predetermined number of time slots (Slot 0 to Slot 15 – Figure 16);
transmitting a plurality of data symbols (column 12, lines 14-15; column 2, line 3) in each respective time slot; and

transmitting a primary (STI), a secondary (LCI) and a tertiary (FTI) synchronization code in each said predetermined number of time slots (Figure 18).

For clarity, to further facilitate understanding of the present rejection, should be noted that the primary (STI), a secondary (LCI) and a tertiary (FTI) synchronization codes are included in Nyström et al.’s PSC and SSC (as depicted in Figure 18), which in turn are included in each time slot (column 12, line 10-12). The PSC and SSC are separate of other chips (data symbols as claimed – column 2, line 3) also included in each time slot (column 12, lines 14-15). The same frame that is transmitted (column 7, lines 13-20) is also received by a receiver (column 7, lines 21-27). Therefore, Nyström et al. discloses both receiving and corresponding transmitting steps.

Regarding **claims 14 and 15**, Nyström et al. discloses everything claimed as applied above (see *claim 1*). In addition, Nyström et al. discloses that the secondary (LCI) and the tertiary (FTI) synchronization codes identify a subset of codes (valid sequences); the secondary (LCI) and tertiary (FTI) synchronization codes are formed from a predetermined order (binary)

of synchronization code elements (bits), the predetermined order corresponding to the subset of codes (valid sequences). See column 12, lines 28-51.

For clarity, to further facilitate understanding of the present rejection, the secondary (LCI) and a tertiary (FTI) synchronization codes are contained in the SSC. I.e., the SSC includes the combination of “the secondary and the tertiary synchronization codes” which in turn perform the same functions as claimed.

Regarding **claim 16**, Nyström et al. discloses everything claimed as applied above (see *claim 1*). In addition, Nyström et al. discloses that the secondary (LCI) and tertiary (FTI) synchronization codes are formed from a predetermined order (binary) of common synchronization code elements (bits). See column 12, lines 28-51.

For clarity, to further facilitate understanding of the present rejection, the secondary (LCI) and a tertiary (FTI) synchronization codes are contained in the SSC. I.e., the SSC includes the combination of “the secondary and the tertiary synchronization codes” which in turn perform the same functions as claimed. In addition, binary order by definition (inherently) includes two types of code elements (bits) which are common; therefore, “common synchronization code elements” is met by Nyström et al. as claimed.

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

11. **Claims 5 and 17** are rejected under 35 U.S.C. 103(a) as being unpatentable over Nyström et al. (US Patent Number 6,185,244).

Regarding **claim 5**, Nyström et al. discloses everything claimed as applied above (see *claim 1*). In addition, Nyström et al. teaches that the FTI (tertiary synchronization code) is used for frame timing by a mobile receiver. (Column 11, lines 58-63). However, Nyström et al. fails to teach that the mobile receiver identifies a first time slot of the frame by the FTI (tertiary synchronization code) in the same embodiment just explained.

In a separate embodiment, but still in the same field of endeavor, Nyström et al. teaches that with frame timing information the mobile receiver (mobile station) is able to locate the boundary of the frame, that is, a first time slot. (Column 4, lines 38-52).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Nyström et al. so that the a mobile receiver can identify the first time slot of the frame by the tertiary synchronization code, because such technique is suggested by the same Nyström et al. as explained above, and it provides for more reliable communications.

Regarding **claim 17**, Nyström et al. discloses everything claimed as applied above (see *claim 13*). In addition, Nyström et al. teaches that the FTI (tertiary synchronization code) is used for frame timing by a mobile receiver. (Column 11, lines 58-63). However, Nyström et al. fails to teach the tertiary synchronization code order corresponds to an order of time slots in the frame in the same embodiment just explained.

In a separate embodiment, but still in the same field of endeavor, Nyström et al. teaches that with frame timing information the mobile receiver (mobile station) is able to locate the boundary of the frame, which corresponds to an order of the time slots. (Column 4, lines 38-52).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Nyström et al. so that the tertiary synchronization code order corresponds to an order of time slots in the frame, because such technique is suggested by the same Nyström et al. as explained above, and it provides for more reliable communications.

Conclusion

12. Any inquiry concerning this communication from the examiner should be directed to Eliseo Ramos-Feliciano whose telephone number is 703-305-0078. The examiner can normally be reached from 8:00 a.m. to 5:30 p.m. on 5-4/9 1st Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester G. Kincaid, can be reached on (703) 306-3016. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ERF/erf
November 9, 2004.


ELISEO RAMOS-FELICIANO "19/04
PATENT EXAMINER